

Stormwater Pollution Prevention Plan

Name: Borough of Cresskill

County: Bergen

NJPDES: 0149152

Annual Review Date: 4/16/2026

Stormwater Program Coordinator: Jimmy Noseworthy

 4/16/26

Table of Contents

Form 1 – Team Members	3
Form 2 – Revision History.....	4
Form 3 – Public Announcements.....	5
Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment ...	6
Form 5 – Ordinances	8
Form 6 – Street Sweeping.....	9
Form 7 – MS4 Infrastructure.....	11
Form 8 – Community-wide Measures	16
Form 9 – Municipal Maintenance Yards & Other Ancillary Operations.....	17
Form 10 – Training	21
Form 11 – MS4 Mapping.....	24
Form 12 – Watershed Improvement Plan.....	25

Form 1 – Team Members

Stormwater Program Coordinator (SPC)			
Name and Title		Jimmy Noseworthy / Superintendent of Public works	
Phone	201-567-2184	Email	jnoseworthy@cresskillboro.org
Individual(s) Responsible for Major Development Project Stormwater Management Review			
Name and Title		Paul Azzolina P.E. / Borough Engineer	
Phone	201-845-8500	Email	p.azzolina@afenginc.com
Name and Title		Glen Kassis / Joint Land Use Board Chairperson	
Phone	201-266-4496	Email	glenkassis@gmail.com
Other Municipal Stormwater Team Members			
Name and Title		<i>Dianne Lavin / Borough Administrator</i>	
Phone	201-569-5400	Email	dlavin@cresskillboro.org
Name and Title		Brian T. Giblin / Borough Attorney	
Phone	201-262-9500	Email	btgiblin@msn.com
Name and Title		<i>Francesca Maragliano / Borough Clerk</i>	
Phone	201-569-5400	Email	<i>fmaragliano@cresskillboro.org</i>
Shared/Contracted Service Providers			
Provider Name	Service Provided	Term of Service	

Form 3 – Public Announcements

Part IV.B. and C.

1. Provide the link to the dedicated stormwater webpage for your municipality.
https://www.cresskillboro.com/departments/stormwater
2. List the name and title of person(s) responsible for stormwater webpage postings/updates.
Francesca Maragliano Borough Clerk
3. List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.
www.cresskillboro.com-borough website <i>Stormwater Posters and info posted at Cresskill Boro Hall</i> <i>Educational Programs in Elementary schools</i>
4. Describe the educational activities you conducted last year to earn the required 12 points and provide the dates for those activities.
<i>Stormwater and Litter educational interactive programs at the Cresskill public schools performed by The Grand Fallons</i>
5. Indicate the location of records associated with public education and outreach activities.
<i>67 Union ave Cresskill, NJ</i> <i>325 Piermont rd Cresskill, NJ</i>

Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment

Part IV.E.

<p>1. How does the municipality define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.</p>
<p><i>Projects that disturb more than 1 acre of land</i></p>
<p>2. Is the municipality’s stormwater control ordinance (SCO) the same as or more stringent than NJDEP’s model SCO? If more stringent, explain the difference.</p>
<p><i>Same</i></p>
<p>3. Describe the process for reviewing major development project applications for compliance with the SCO and Residential Site Improvement Standards (RSIS).</p>
<p>All projects will be reviewed by the borough engineer to ensure compliance with the SCO and RSIS</p>
<p>4. Does your municipality have a mitigation plan included in your Municipal Stormwater Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.</p>
<p><i>Yes – Borough of Cresskill 67 Union Ave Cresskill NJ Awaiting Engineers revision for updated SMP</i></p>

<p>5. Indicate the dates of each iteration of the township's Stormwater Control Ordinance, starting with the initial adoption and including revisions.</p>
<p><i>Adopted 4-5-2006 by Ord. No. 06-0-1311; amended in its entirety 7-14-2021 by ORD. No. 21-24-1574</i></p>
<p>6. Indicate the dates of each iteration of the township's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.</p>
<p><i>March 2005(Preliminary) November 2006(final) Awaiting Borough Engineer's Revision</i></p>

Form 5 – Ordinances

Part IV.F.1.

Ordinance	Date Adopted	Was the DEP model adopted without change? If not, explain how the municipality's is more stringent.	Entity Responsible for Enforcement	Fees & Fines
1. Pet Waste	2/15/2006	YES	<i>Board of Health</i>	
2. Wildlife Feeding	2/15/2006	YES	<i>DPW</i>	
3. Litter Control	2/15/2006	YES	<i>Police Dept.</i>	
4. Improper Disposal of Waste	2/15/2006	YES	<i>Police Dept.</i>	
5. Yard Waste	2/15/2006	YES	<i>DPW</i>	
6. Private Storm Drain Inlet Retrofitting	3/17/2010	YES	<i>Building Dept.</i>	
7. Illicit Connections	2/15/2006	YES	<i>Building Dept.</i>	
8. Privately-Owned Salt Storage	9/5/2023	YES	<i>Building Dept.</i>	
9. Tree Removal- Replacement	4/17/2024	<i>No- Approval from NJDEP on 3/6/24that boro ordinance is sufficient</i>	<i>Building Dept.</i>	
List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines.				
N/A				
Indicate the location of records associated with ordinances and related violations and enforcement actions below.				
Borough of Cresskill, 67 Union Ave, Cresskill, NJ 07626				

Form 6 – Street Sweeping

Part IV.F.2.a.i. and ii.

1. Provide a written description and/or attach a map outlining the sweeping schedule for the following:

- Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)
- Segments of municipal roads that do not have storm drain inlets but do discharge to surface water (required at least 1 time each year)

Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.

All borough and county roads located within the municipality are swept on a monthly basis via a spreadsheet checklist

2. Indicate if sweeping work is outsourced and if so, describe the arrangement.

N/A

Form 7 – MS4 Infrastructure

Part IV.F.2-4. and Part IV.G.2-3.

1. Municipal Storm Drain Inlets

- a. Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.
- b. Describe how you ensure that municipal and private storm drain inlets have been retrofitted.
- c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.
- d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.

- a. During annual inspection and cleaning of basins, if worn labels are observed they are recorded and re-labeled by stencil
- b. During annual inspection and cleaning of basins that have been or need to be retrofitted are recorded and added to basin spreadsheet.
- c. During road repaving and curb reconstruction programs all catch basins located within those roads are reconstructed with DEP compliance heads and grates.
- d. Annually by spreadsheet containing: date cleaned, repairs if needed, and labeling if needed.

2. Municipal Catch Basins

- a. Describe when and how you conduct inspections of catch basins.
- b. Describe the criteria used to determine when catch basins need to be cleaned.

All municipal and county catch basins located within the borough are visually/physically inspected and cleaned annually via a spreadsheet noting the date/location and if repairs are needed. Also all catch basin grates are cleaned before (when forecasted) and after heavy rain storms.

--

3. Municipal Conveyance System

Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.

All catch basins are annually inspected/cleaned and recorded via spreadsheet. Cleaning is done with a vactor truck, repairs are handled by DPW staff with concrete block and other materials needed for repair.

4. Municipal Outfall Inspections – Stream Scouring

Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.

All outfalls are inspected annually and addressed if need be by de-snagging. Debris or vegetation that is blocking outfalls is removed by means of physical labor, using rakes and or hooks to remove the obstructions.

5. Municipal Outfall Inspections – Illicit Discharge Detection and Elimination

Describe the program in place for conducting visual dry weather inspections of municipally owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using the DEP’s Illicit Connection Inspection Report Form from the Department’s main stormwater webpage.

We will conduct an initial inspection of all our outfall pipes during the mapping process. We will use the NJDEP illicit connection inspection report form to conduct these inspections, and each of those forms will be kept with our SPPP records. Outfall pipes that are found to have a dry weather flow or evidence of an intermittent non-stormwater flow will be rechecked again to locate the illicit connection. If we are unable to locate it (and the connection is within the boro of Cresskill) we will cite the responsible party for being in violation of the illicit connection ordinance, and we will have the connection eliminated immediately. If after the appropriate amount of investigation, we are unable to locate the source of the illicit connection, we will submit the closeout investigation form with our annual inspection and recertification. If an illicit connection is found to originate from another public entity, the borough of Cresskill will report it to the department. Complaints or spills may be reported to any borough agency. They then will be referred to the Cresskill DPW for investigation.

Records will be kept at:

*Cresskill DPW
325 Piermont Rd
Cresskill, NJ 07626*

6. Other Municipal Infrastructure

List the types of MS4 infrastructure in your town that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure, and the criteria used to determine when they need to be maintained and/or cleaned.

Inlets and outlets of retention basins are visually inspected after heavy rainfall events to ensure no debris has accumulated in front of the grates or storm pipes causing obstructions to the flow.

7. Stormwater Facilities Not Owned or Operated by the Municipality

Describe your program for ensuring adequate long-term cleaning, operation, and maintenance of stormwater facilities not owned or operated by the municipality. This should include your plan for ensuring annual inspections are being done on these private properties and describe how you record the locations and logs associated with private infrastructure.

All of the above mentioned is handled by the Borough of Cresskill building dept. and code enforcement officers. Annually the department sends out by mail a checklist form for property owners to inspect and report the facilities located on their property. Completed forms are returned to the dept. for records.
Records located at:
Cresskill Borough Hall
67 Union Ave
Cresskill, NJ 07626

8. Infrastructure Records

Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.

All borough owned stormwater infrastructure records are located at:

*Cresskill DPW
325 Piermont Rd
Cresskill, NJ 07626*

Form 8 – Community-wide Measures

Part IV.F.2.

<p>1. Herbicide Application Management Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.</p>
<p><i>No herbicides are used on the borough owned stormwater infrastructure, all de-vegetation is done by manual labor.</i></p>
<p>2. Excess Deicing Material Management Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.</p>
<p>Immediately following storm events DPW staff visually inspect roads for accumulated salt piles and physically removes them if necessary.</p>
<p>3. Roadside Vegetative Waste Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees, mowing, etc.).</p>
<p>All vegetive waste is picked up and disposed of at a private recycling facility.</p>
<p>4. Roadside Erosion Control Describe your program to detect and repair erosion along municipal roadways.</p>
<p>Visual inspections during daily DPW tasks are then reported and added to road repair lists.</p>

Form 9 – Municipal Maintenance Yards & Other Ancillary Operations

Part IV.F.5.

Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the municipality owns or operates: _____

1. Site Name and Address	
<i>Cresskill DPW 325 Piermont Rd Cresskill, NJ 07626</i>	
2. Monthly Site Inspections Describe the nature of inspections conducted at this site and the location of inspection logs.	
<i>Safety check lists for DPW office, garage buildings, and recycling center. All inspection logs are located at the Cresskill DPW, 325 Piermont Rd, Cresskill, NJ 07626</i>	
3. Inventory List List all materials and machinery that are potentially exposed to stormwater.	
Materials	Machinery/Equipment
<i>Construction Sand and Stone</i>	<i>Misc. trailers for dpw equipment hauling</i>
<i>Salt Shed</i>	<i>Empty roll-off containers</i>
<i>Calcium Chloride Tanks</i>	
<i>Vegetation Waste Stockpile bin</i>	
4. Discharge of Stormwater from Secondary Containment Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.	

N/A

5. Fueling Operations

Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.

Yes, see link below for the borough of Cresskill Fueling S.O.P.

File:///C:/Users/jnoseworthy/Desktop/Borough%20of%20Cresskill%20Fueling%20SOP's.htm

6. Vehicle/Equipment Maintenance and Repair

Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.

Yes, all maintenance is conducted indoors.

7. Wash Wastewater Containment

Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.

Yes, all vehicles and equipment are washed indoors. The water drains through an oil/water separator before being discharged to the municipal sanitary sewer.

8. Salt and Other Granular De-icing Materials

Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Yes, salt is stored in a covered storage building and grits are under covered roof system.

9. Aggregate Material, Wood Chips, and Finished Leaf Compost

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Wood chips are stored in 30yd tarped containers and disposed of regularly at a private recycling facility. Aggregates for recycling are stored in 30yd tarped containers and disposed of regularly at a private recycling facility. All of the 30yd containers are situated more than 50ft away from any stormwater inlets and surface water. Finished leaf compost is not stored in the boro of Cresskill.

10. Cold Patch Asphalt

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Yes, indoors in bags from the manufacturer.

11. Street Sweepings and Storm Sewer Cleanout Materials

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Yes, in a 20yd tarped container and disposed of regularly at a private disposal facility.

12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

No, once they are picked up they are disposed of weekly at a private recycling facility.

<p>13. Scrap Tires Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Yes, in a covered 40yd container then disposed of at a private recycling facility.</p>
<p>14. Inoperable Vehicles and Equipment Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.</p>
<p><i>No all vehicles and equipment are stored inside multiple garages and structures.</i></p>
<p>15. Outdoor Refuse and Dumpsters Describe your program to ensure that outdoor dumpsters and refuse containers on municipal property are covered and not discharging pollutants to stormwater or surface water.</p>
<p>All outdoor dumpsters are either tarped or covered with a rigid cover from the manufacturer.</p>

Form 10 – Training

Part IV.F.6-10.

Stormwater Program Coordinators	
Describe the training provided for the municipal Stormwater Program Coordinator.	

Topic	Municipal Employees Examples: in-person or virtual group sessions, e-Learning, field training, and videos
Describe the training provided for municipal staff.	
SPPP	<i>e-Learning</i> <i>Virtual group sessions</i> <i>videos</i>
Construction Site Stormwater Runoff	<i>Videos</i>
Post-Construction Stormwater Management in New and Redevelopment	<i>Videos</i>
Ordinances	<i>Field training</i>
Community-wide Measures	<i>Field training</i>

Stormwater Facilities Maintenance	<i>Videos</i> <i>Field training</i>
Municipal Maintenance Yards and Other Ancillary Operations	<i>Videos</i> <i>Field training</i>
MS4 Mapping	<i>N/A(borough engineer)</i>
Outfall Stream Scouring	<i>Field training</i>
Illicit Discharge Detection and Elimination	<i>Field training</i>
Watershed Improvement Plan	<i>N/A (borough engineer)</i>

Stormwater Management Design Reviewers

1. Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs.

The borough engineer and Joint Land Use Board hold records of training

Municipal Board and Governing Body Members

Describe the training provided for members of the planning/zoning board and municipal council.

The training provided for members of the planning/zoning board and municipal Council was NJDEP municipal stormwater regulation program employee training.

Training Records

Indicate the location of training records for the above required training.

Borough of Cresskill
67 Union Ave
Cresskill, NJ 07626

Form 11 – MS4 Mapping

Part IV.G.1.

1. Provide a link to the most current MS4 outfall/infrastructure map.	
www.cresskillboro.com/government/forms/public-works/559-outflow-pipe-map/file	
2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026).	
a. MS4 outfalls	
b. MS4 ground water discharge points (basins or overland flow infiltration areas)	
c. MS4 interconnections	
d. MS4 storm drain inlets	
e. MS4 manholes	
f. Length of conveyance (channels, pipes, ditches, etc.)	
g. MS4 pump stations	
h. MS4 stormwater facilities (any that are not listed above)	
i. Maintenance yard(s) and other ancillary operations	
3. Describe how the municipality’s outfall/infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g., an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.).	
<p>Handled by Borough engineer: Azzolina & Feury Engineering, Inc. 30 Madison Ave Paramus, NJ 07652 201-845-8500</p>	
4. Describe how the municipality will create and update its MS4 Infrastructure Map.	
<i>All GIS mapping is still pending on borough engineers completion.</i>	

Form 12 – Watershed Improvement Plan

Part IV.H.

<p>1. Describe how your municipality is developing its Watershed Improvement Plan.</p> <p>The borough of Cresskill has contracted Azzolina and Feury Engineering to handle the watershed improvement plan. Azzolina and Feury Engineering Inc. 30 Madison Avenue Paramus, NJ 07652 201-845-8500</p>
<p>2. Describe any regional projects or collaboration efforts with other municipalities.</p> <p><i>The borough of Cresskill is working with the Army Corp. of Engineers on a possible dredging project of the Tenakill Brook.</i></p>
<p>3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.</p> <p><i>Borough of Cresskill 67 Union Ave Cresskill, Nj 07626</i></p>